PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: WO 94/09653 (11) International Publication Number: A1 A24B 15/28 (43) International Publication Date: 11 May 1994 (11.05.94) (74) Agent: DEKKER, Enno, E., J.; Unilever N.V., Patent Di-(21) International Application Number: PCT/EP93/02882 vision, P.O. Box 137, NL-3130 AC Vlaardingen (NL). 19 October 1993 (19.10.93) (22) International Filing Date: (81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CŽ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, (30) Priority data: LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, EP 2 November 1992 (02.11.92) 92203356.8 SD, SE, SK, UA, US, VN, European patent (AT, BE, (34) Countries for which the regional CH, DÉ, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, or international application PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, was filed: AT et al. GŃ, MĹ, MR, NE, SN, TĎ, TĠ). (71) Applicant (for all designated States except US): QUEST IN-TERNATIONAL B.V. [NL/NL]; Huizerstraatweg 28, **Published** With international search report. NL-1411 GP Naarden (NL). (72) Inventors; and (75) Inventors/Applicants (for US only): BURGER, Jacobus, Johannes [NL/NL]; Leerdamhof 349, NL-1108 CD Amsterdam (NL). RENES, Harrie [NL/NL]; Rivierahof 21, NL-1394 DB Nederhorst den Berg (NL). SLOOT, Edelbertus, Albertus [NL/NL]; Simon Stevinweg 92, NL-1222 ST Hilversum (NL).

(54) Title: TOBACCO MATERIAL CONTAINING MICRO-ORGANISM CELLS

(57) Abstract

The invention relates to tobacco material wherein micro-organism cells have been incorporated. Preferably the incorporated micro-organism cells comprise a flavour and/or flavour component encapsulated therein. The micro-organism cells can be those of yeast, fungi, algae or bacteria which are suitable for human comsumption. Preferably the micro-organism cells have a flavour and/or flavour component content from 5 to 70 %.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΤA	Austria	CB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
88	Barbados `	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway '
BG	Bulgaria	IE	Ircland	NZ	New Zealand
8J	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korca	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
Cl	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	Lì	Liechtenstein	SN	Schegal
CN	China	LK	Sri Lanka	TD	Chad
cs	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tohago
DK	Denmark ,	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan _
FR	France	MN	Mongolia	VN	Vict Nam
GA	Gabon				

1

Tobacco material containing micro-organism cells.

The invention relates to improved tobacco material, more in particular to tobacco material with improved flavour properties.

Under tobacco material is here to be understood leaves, stems, other parts of the tobacco plant and also includes so-called reconstituted leaf or reconstituted tobacco obtained from finely divided (waste) tobacco plant material and processing this, optionally together with cellulosic material to form reconstituted leaf or sheet material. The term further comprises other materials which are consumed together with the tobacco e.g. cigarette paper and adhesive material for cigarette paper. The term finally comprises any alternative to tobacco products proposed for reasons of scarcity or for health reasons.

The flavouring of tobacco material for various purposes has 20 been known for a long time and reference is made in this connection to Tobacco (Tropical Agriculture Series), by B.C. Lakehurst, Longman Publ., London 1968, in particular pages 471-474 are worthwhile. Tobacco products are mostly flavoured before they are processed into cigarettes or 25 other tobacco products. The most important prior art method of flavouring of tobacco material is spraying or atomizing a liquid flavour, sometimes diluted with an organic solvent e.g. alcohol over the bulk of the tobacco. One of the main disadvantages of this method is that the flavour is being finely dispersed over a great surface area, thus evaporates easily and is susceptible to oxidative deterioration. Consequently the effect if flavouring may be short lived. Flavouring with menthol has been quite popular for a long time. Menthol, however, tends to evaporate from cigarettes

2

upon storage and menthol flavoured cigarettes thereby rapidly lose their attraction. There are various other reasons why the flavour of certain tobacco products deteriorates upon storage.

5

15

It has been proposed to solve this problem by using airtight packaging filled with an inert gas (cf German Offenlegungsschrift DE-A-30 06 092). This is, however, an expensive alternative and the problem reappears as soon as the customer opens the package. Flavour properties are an important feature of tobacco products and in particular the following aspects of flavouring require attention:

retention of flavours during storage
improvement of flavour stability
controlled flavour delivery during smoking
improvement of side stream e.g. room smell
improvement of reconstituted leaf (neutralization of
off-taste)

Flavoured tobacco products known in the art so far suffered from disadvantages in one or more of the flavour aspects outlined above and improvement is required.

The present invention now provides tobacco materials with improved flavouring properties by incorporating microorganism cells in this material.

Especially the room smell of cigarettes and cigars with reconstituted tobacco containing with such micro-organism cells was found to be improved. Incorporation of the micro-organism cells in tobacco can be effected by spraying or atomizing a suspension of the micro-organism cells, e.g. in water or a tobacco humectant, on the tobacco material through a nozzle or atomizer in a mixing chamber or mixing vessel, optionally followed by re-drying of the material.

3

Conical mixers are very suitable. For efficient spraying or atomizing a suspension of low viscosity is recommended.

Further details of this technique can be found in "Tobacco" cited above in particular pp. 473-474. Preferred are dead micro-organism cells. Also the micro-organism cells may die as a result of the process of applying them to the tobacco or the treatment they undergo before the application.

Tobacco material usually contains 15 - 18% by weight of
water depending on the nature of the tobacco and the
treatment it has been subjected to. Usually the amount of
water or humectant sprayed on as the suspension increases
the moisture content of the tobacco material with at most
5% by weight and any excess can be removed by drying with
air or inert gas to a suitable level. Care must, however,
be taken that the drying temperature is not too high to
affect the tobacco material.

Suitable humectants/solvents should not themselves have an annoying odour or flavour and should be allowed for use in tobacco. Suitable are e.g. ethanol, isopropanol, propylene glycol, glycerol and benzylalcohol.

In a preferred embodiment of the invention tobacco material is provided wherein the incorporated micro-organism cells comprise a flavour and/or flavour component encapsulated therein. The technique of encapsulating a flavour and/or flavour component (including flavour precursors) in micro-organism cells has been disclosed in EP-A-O 085 805 and EP-A-O 242 105, especially in the latter.

Preferably the micro-organism cells are those of yeast, fungi, algae or bacteria which are suitable for human consumption. Especially the use of yeast encapsulated

4

flavours in cigarettes was found to be a clear improvement. Also the use of such encapsulated flavour in wet snuff yielded a positive flavour effect. A preferred microorganism which can be used is food grade yeast such as Saccharomyces cerevisiae.

In a preferred embodiment of the invention the microorganism cells have a flavour and/or flavour component content from 5 to 70%, preferably from 10 to 50% by weight.

10

It is especially useful to improve tobacco material by incorporating micro-organism cells, preferably those having a flavour incorporated therein, in reconstituted tobacco or in paper or adhesive for use in tobacco products.

15

30

Although many different flavours and/or flavour components can be added to tobacco according to the invention, particularly useful are those of the group consisting of peppermint oil, menthol, menthone, menthyl alcohol, clove, sandalwood, vanillin, rose oil and geranium oil. The latter two are especially important for wet snuff.

In the case of flavouring with peppermint oil, menthol, menthone or menthyl alcohol the tobacco material to be flavoured is preferably tobacco material for cigarettes.

The invention also provides a process for the production of tobacco material with improved flavour properties wherein flavour encapsulated in micro-organism cells is sprayed as a suspension on tobacco material.

The invention is now illustrated by the following examples:

PCT/EP93/02882

5

Example 1.

Menthol was encapsulated in brewers yeast according to Example XI of EP-A-0 242 135 and the amount of menthol in the yeast was approximately 25% w/w. The dosage of filled yeast cells was about 4 parts on 1000 parts by weight of tobacco. Upon storage a considerable retention of menthol flavour was obtained as was evident from comparative smoking sessions.

10

Example 2.

Clove oil was encapsulated in brewers yeast according to

Example II of EP-A-0 242 135 and the amount of clove oil in
the yeast cells was approximately 30% w/w. The dosage of
filled yeast cells was about 3 parts per 1000 parts by
weight of tobacco for kretek cigarettes. A controlled
delivery of flavour was noted upon smoking.

20

Example 3.

Blank brewers yeast was used in this example which was applied to reconstituted tobacco in an amount of 5% W.W. The room smell of the reconstituted tobacco was improved.

Example 4.

30

Orange flavour was encapsulated in brewers yeast according to Example XVII of EP-A-0 242 135, however, using commercially available orange oil instead of lemon oil. The dosage of filled yeast cells was about 1 part per 700 parts

6

by weight of wet snuff. A controlled delivery and retention of flavour was noted.

5 Example 5.

•

5 g of brewers yeast was suspended in 15 g of tap water of 40°C. To the slurry thus obtained 3.5 g of East Indian sandalwood oil were added, followed by stirring during 4 hours. After cooling to room temperature the flavour filled yeast cells were isolated by centrifuging and spray dried. The oil content of the cells was 70% by weight. When the dry cells were crushed a distinct odour of sandalwood oil was noticed. The dosage of filled yeast cells applied to cigarette paper by spraying was about 1 part per 1000 parts by weight. When used in cigarettes an improved room smell was noted.

PCT/EP93/02882

15

4

7

Claims

- 5 1. Tobacco material wherein micro-organism cells have been incorporated.
- Tobacco material according to claim 1, wherein the incorporated micro-organism cells comprise a flavour
 and/or flavour component encapsulated therein.
 - 3. Tobacco material according to claim 2, wherein the micro-organism cells are those of yeast, fungi, algae or bacteria which are suitable for human consumption.
 - 4. Tobacco material according to claim 1, 2 or 3, wherein the micro-organism cells are of food grade yeast.
- 5. Tobacco material according to any of the preceding claims, wherein the micro-organism cells have a flavour and/or flavour component content from 5 to 70%, preferably from 10 to 50% by weight.
- 6. Tobacco material according to any of the preceding claims, wherein the micro-organism cells have been incorporated in reconstituted tobacco material.
- 7. Tobacco material according to any of the preceding claims, wherein the micro-organism cells have been incorporated in paper or adhesive for use in tobacco products.
 - 8. Tobacco material according to any of the preceding. claims, wherein the flavour encapsulated is a flavour

8

consisting of the group consisting of peppermint oil, menthol, menthone, menthyl alcohol, clove, sandalwood and vanillin.

- 5 9. Tobacco material according to any of the preceding claims, wherein the tobacco material is tobacco material for cigarettes.
- 10. Process for the production of tobacco material with improved flavour properties wherein flavour encapsulated in micro-organism cells is sprayed as a suspension on tobacco material.
- 11. Tobacco products comprising tobacco material according to any one of claims 1-9

INTERNATIONAL SEARCH REPORT

Inter. mal Application No
PCT/EP 93/02882

			101761 337 02002	
A. CLASS IPC 5	FICATION OF SUBJECT MATTER A24B15/28		•	
According t	o International Patent Classification (IPC) or to both national class	ssification and IPC		
B. FIELDS	SEARCHED			
Minimum d IPC 5	ocumentation searched (classification system followed by classific A24B	cation symbols)		
Documentat	ion searched other than minimum documentation to the extent the	at such documents are inc	uded in the fields searched	
Electronic d	ata base consulted during the international search (name of data b	pase and, where practical,	search terms used)	
C. DOCUM	IENTS CONSIDERED TO BE RELEVANT		•	
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.	
X	DATABASE WPI Section Ch, Week 7626, 1976 Derwent Publications Ltd., Londo Class D18, AN 76-49109X & JP,A,51 054 996 (KANEGAFUCHI (May 1976 see abstract EP,A,0 242 135 (AS2 LTD) 21 Octo	on, GB; CHEM.) 15	1,4,6,9, 11	
	cited in the application see the whole document	•		
A	FR,A,2 138 951 (IMPERIAL TOBACCOLUMN LTD) 5 January 1973 see the whole document	GROUP	1-11	
Furth	ner documents are listed in the continuation of box C.	X Patent family	members are listed in annex.	
"A" docume consider a filing of the citation other no later the constant of the citation of th	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family Date of mailing of the international search report		
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Vuillamy, V		

INTERNATIONAL SEARCH REPORT

Information on patent family members

Inter. mal Application No
PCT/EP 93/02882

Patent document cited in search report				Publication date	
EP-A-0242135	21-10-87	CA-A-	1301682	26-05-92	
FR-A-2138951	05-01-73	AU-A- BE-A- CA-A- CH-A- DE-A- GB-A- NL-A-	4157272 783560 946243 570127 2221778 1349537 7207031	01-11-73 18-09-72 30-04-74 15-12-75 21-12-72 03-04-74 28-11-72	